ANTIBODIES TO THE FUEL OXYGENATE MTBE AND USE THEREOF IN IMMUNOASSAYS

Technical Field

The present invention relates to materials,

5   equipment and methods for determination of fuel

oxygenates, e.g. members of the tert-butyl group and

associated compounds. The approach, comprising an

immunochemical-based (affinity-based) assay and

associated reagents may be used in either the laboratory

10   of the field for the rapid and routine diagnosis of

samples suspected of containing said compounds thereby

allowing rapid analytical and diagnostic information to

be obtained.

Human endeavour is hugely dependent upon the

15   consumption of fuels for power generation purposes. For

example, road transport is an integral feature of today's

society, essential for industry, commerce and

recreational activities. Global demand for petroleum

necessitates usage of large fuel storage tanks and

20   underground oil pipelines, which present the potential

for significant environmental contamination from

persistent and hazardous petroleum hydrocarbons.

Particularly with underground systems, leaks can remain

undetected and can be transported through soils and water

25   systems via natural dispersion mechanisms.

1

From the early 1970's, increasing concern about
public health and environmental impacts from exhaust
emissions has led to changes in the formulations of motor
fuels. Revised European and US regulations have been

5   targeted to reduce emissions from motor vehicles and
improve air quality. Oxygenated compounds have been
incorporated into fuels to aid combustion and reduce
exhaust emissions responsible for air pollution. These
provided a replacement for benzene and have aided fuel

10 producers in reaching octane levels required by new fuel
standards. The choice of oxygenate varies between
countries and US states, influenced by the availability
of raw materials, individual economies and political
status.

15   Currently, the most commonly used fuel oxygenates
are methyl *tert*-butyl ether (MTBE) and ethanol. Other
oxygenates in use include ethyl *tert*-butyl ether (ETBE),
methyl *tert*-amyl ether (TAME), isopropyl ether, and *tert*-
butyl alcohol (TBA). These compounds have been primarily

20 used to achieve mandatory fuel standards throughout the
US and Europe. Whilst petroleum may comprise of >120
different compounds, leaded, unleaded and premium grade
fuels may contain >15% oxygenates by volume.

        MTBE has become one of the most significant

25 environmental pollutants in recent years. Sampling

2

results from the US Geological Survey's (USGS) National
Air and Water Quality Assessment (NAWQA) Programme during
1990-1998 found high incidences of MTBE contamination in
both confined and unconfined ground water aquifers and in
5   drinking water. Approximately 60% of US drinking water
is extracted from surface water systems. Whilst the
potential toxicity is still debated, MTBE has an
extremely low taste threshold and low-level contamination
has led to losses of drinking water supplies. 71% of the
10   water supply of Santa Monica, California, has been
tainted with MTBE, requiring the importation of water
supplies from outside of the city limits at an annual
cost of $3.5 million per annum. MTBE has been
increasingly identified as the primary threat to European
15   ground water reservoirs, which supply 60-70% of all
European drinking water.

The main source of environmental oxygenate
contamination is from oxygenate-blended petroleum,
through leaking underground storage tanks (LUSTs),
20   transfer spillage, petroleum facilities and/or accidental
spills. Poor management of stored fuel and subsequent
leakages have resulted in major, global environmental
contamination from petroleum and related components,
typically BTEX compounds (benzene, toluene, ethylbenzene
25   and *m-, o-, p*-xylenes), low weight alkanes, such as *n-*

pentane, *n*-hexane, and fuel oxygenates. MTBE has
particular environmental significance due to its high
solubility in water, with numerous incidences of ground
water and/or drinking water contamination. Surface water
5   systems may become contaminated through ground water,
atmospheric deposition, storm water run-off and direct
releases by industrial and recreational activities.

Background Art

10   Traditionally, environmental analyses of petroleum
and related compounds are performed using laboratory-
based methods such as gas or liquid chromatography allied
to suitable detection methodologies. The two most widely
used analytical methods for detection of fuel oxygenates
15   are EPA Method #8260 (Volatile organic compounds by Gas
Chromatography/Mass Spectroscopy (GS/MS) and Method #8015
(Non-halogenated organics using Gas Chromatography/Flame
Ionisation Detector (GC/FID). Additionally, there are
problems with sample collection methods and sample
20   preservation for these laboratory-based techniques.
Whilst a wide range of analytical techniques are
available, these remain primarily laboratory-based. Due
to escalating reports of petroleum and specifically MTBE
contamination across the US and Europe, there remains an

urgent need for simple and accurate diagnostic tools for *in-situ* analysis and continuous monitoring applications.

Immunoassays

5   The specific, sensitive and low-cost *decentralised* determination of a number of different types of common environmental contaminant has been achieved through the use of affinity-based assays, notably immunoassays. Immunoassays allow the detection and measurement of

10   target compounds using specific binding characteristics of antibodies. They can be found in a wide variety of formats and are increasingly being developed and employed for environmental monitoring purposes. These have acquired wide acceptance in the USA, with the US EPA

15   recognising and releasing official ELISA methods for the determination of certain compounds, e.g. certain pesticides, PAHs and PCBs. 'Rapid' immunoassay test kits are commercially available for a wide range of analytes, which provide a relatively inexpensive, rapid (<2 h),

20   sensitive screening method for analyte detection, commonly in aqueous and soil matrices. Castillo *et al.* (Castillo, M. *et al.* (1998). Environmental Science and Technology, Vol. 32914), pp. 2180-2184) have evaluated the immunoassay test kits for the accurate and sensitive

determination of pentachlorophenol, carcinogenic PAHs and

BTEX compounds within industrial effluents.

The fundamental principle of immunoassays (IAs) is

that they utilise biologically generated immunoglobulin

5   proteins - antibodies (Ab) - which react with specific

target compounds - namely the target analyte, commonly

referred to as the 'antigen' (Ag) to form antibody-

antigen complexes (Ab-Ag). All IAs are based on the

selectivity and sensitivity of this Ab-Ag reaction. Due

10   to the wide range of variations in assay design, there is

no universal, consistent classification system, or

terminology. Each immunoassay will need to be

specifically developed to the target of interest, i.e.

the antigen. The Ab is the key reagent and these

15   generally determine the assay's characteristics. Ab-Ag

binding arises from structural complementarity between

the two molecules, stabilised by binding through a

combination of Van der Waals forces, electrostatic

interactions, hydrogen bonding and hydrophobic

20   interactions.

Antibody production

The initial stimulation of Immunoglobulin G (IgG)

antibodies is achieved through injecting animals,

25   commonly mice, rabbits or sheep, with the target

immunogen (antigen). The *in vivo* administration of an immunogen stimulates B-lymphocyte cells to produce and secrete antibodies into the blood stream that are capable of binding to (and, with the help of other factors in the immune response, destroying) the invading blood-borne foreign body. Since each stimulated B-lymphocyte cell will produce a unique antibody 'clone' exhibiting a specific binding reaction, and hence affinity, to the target analyte, a 'polyclonal' mixture of antibodies derived from all of the individual Ab secreting cells, is elaborated within the serum. This polyclonal antiserum can be utilised at this stage, although the IgG fraction will contain many antibodies of differing specificities, many of which may be irrelevant for IA purposes (Edwards, R. (1996) (Ed.) Immunoassays. Essential data Series. John Wiley and Sons, Chichester, UK). A purification step is generally necessary to increase performance and limit the possibility of activity from those irrelevant fractions.

With polyclonal Ab preparations, there are significant batch-to-batch variations in the quality of the antiserum and the source of the preparation will cease on death of the animal host. This is a particular problem in immunoassay manufacture when product consistency is paramount for maintaining a valid

analytical/diagnostic tool. This issue has been overcome through the development of monoclonal antibody production methods, which exploit the use of neoplastic multiple myeloma 'tumour' cells – essentially Ab secreting cells

5   that undergo uncontrolled and rapid cell division. Individual Ab secreting cells are isolated from the animal host and fused with these myeloma cells, to form hybridoma cells. These, with careful cultivation, act as effectively immortal cell lines for the production of

10   individual cloned (monoclonal) Ab preparations. Generally, vast numbers of hybridoma cells are generated and then screened for Ab-Ag binding efficacy. The high purity, homogeneity and cloning ability of MAbs enables easier purification and subsequent labelling of these

15   highly specific antibodies. Although costs and practical investments are initially high, these are now the preferred and established practice for IA design.

A significant issue arises in that most organic pollutants are of insufficient molecular weight to

20   engender an immunogenic response. Molecules with a molecular weight of <3000 are not immunogenic and those <5000 may be too weak to induce an adequate immunogenic response. In these cases, the molecules must be conjugated to a much larger carrier protein in order to

25   provoke an immune response. Only those antibodies

binding specifically to the haptenic determinant, as
opposed to the carrier protein will be of diagnostic use.
Theoretically, various immunogenic carriers can be used,
the most common being bovine serum albumin (BSA), human
serum albumin (HSA), rabbit thyroglobin and keyhole
limpet haemacyanin (KLH). In fact, this approach is
difficult, particularly with small haptens. A very
extensive screening program may be required, without
guarantee of success.

Immunoassay Design

There are many possible immunoassay formats reported
in the literature that exploit the fundamental principle
of quantifying the extent of Ab-Ag binding. The method
most used for field-based determinative purposes is
termed the indirect competitive assay format. The method
is indirect in that one of the immunoreagents must be
labelled in order to visualise the extent of Ab-Ag
binding and hence quantify the amount of target analyte
in the sample solution. The choice of label remains
largely dependent on the specific characteristics and
expected concentrations of the target analyte.

Suitable labels include enzymes, fluorochromes and
radioisotopes, the latter being less widely used in
recent years. Enzymes can also be selected to convert

9

non-fluorescent substrates to fluorescent products, e.g.
alkaline phosphatase. Photoluminescent compounds in
immunoassays (FIAs) can provide even greater sensitivity
that colorimetric substrates. Fluoroscein isothiocyanate

5   (FITC) is usually the label of choice for
immunofluorescent IAs, as coupling procedures are
straightforward works with almost all antibodies.
Additional labels commonly used include
tetramethylrhodamine isothiocyanate (TRITC), Texas Red

10   (TR) or phycoerythrin (PE).

Enzyme Linked Immunoassays (ELISA)

Enzyme linked immunosorbent assays (ELISAs) are
based on the combination of selective antibodies with

15   sensitive enzymes that react with a substrate to produce
a detectable colour change, e.g. commonly horseradish
peroxidase (HRP), or alkaline phosphatase. Specific
enzymes are incorporated to link to target contaminants
and through enzymatic actions on the colouring agent

20   (chromogen), enabling both qualitative and quantitative
analysis through the catalytic capability of the enzymes.
Many regulated contaminants, such as pesticides,
polyaromatic hydrocarbons (PAHs) and other organic
pollutants can now be detected on-site using available

25   test kits utilising enzyme linked immunoassay technology.

A number of solid supports can be used as a means of separation in an ELISA system. Solid support within ELISA systems can be the traditional microtitre plate systems, coated tubes or using covalently bound

5   antibodies to magnetic or latex particles. Due to their relative simplicity, flexibility, speed and cost, IAs are now generally considered an effective and suitable form of analysis, suitable for both laboratory and field diagnostics. Such IA systems are capable of detecting

10 very low levels of contamination, in some cases as low as the ng/L or ppb level (see for example the website of Strategic Diagnostics Incorporated, http://www.sdix.com.

For petroleum contaminants, a number of IA based field kits are commercially available for on-site

15 analysis, e.g. the Strategic Diagnostics Incorporated RaPID Assay Petroleum Fuel Kits. These field kits utilise Abs bound onto microscopic particles, for which results are interpreted using a portable microprocessor controlled spectrophotometer or photometer. Detection

20 levels can be at µg/L (ppm) or ng/L (ppb) concentrations, depending on the analyte in question and product used. Reportedly, results can be obtained in less than two hours. However, whilst the IA aspects can be accomplished in some cases in <60 minutes, extraction

procedures are necessary for soil analysis, which
increase the complexity and time scale of analysis.

There is extreme current interest in MTBE and
related fuel oxygenates -ETBE, TAME, TBA etc. - hereafter
5   referred to as the *tert*-butyl oxygenate family, and their
environmental impact. Despite this fact there is no
prior art concerning the development of immunochemical
methods for determination of such compounds. It is
worthy of note that commercially available test kits to
10   the other major classes of petroleum species, such as the
BTEX compounds, TPHs (total petroleum hydrocarbons) and
PAHs (polynuclear aromatic hydrocarbons) do currently
exist.

15   **Disclosure of Invention**

This invention therefore pertains to the processes,
technologies and associated knowledge associated with the
generation of immunoreagents and the development of
immunoassays for the antibody-based determination of
20   members of the *tert*-butyl oxygenate family. The benefits
of such an approach lie in the simplicity of the assay
procedure and amenability of said procedure to
decentralised usage. The method offers the following
benefits over current MTBE determination methods:

25

- The simplicity of the procedure and requirement for simple instrumentation (optical reader, electrochemical monitoring device or such other signal interrogation device) renders the method amenable to decentralised operation.

- High sample throughput: achieved through the ability to assay a large number of samples simultaneously.

- A high degree of assay specificity and sensitivity due to the binding complementarity and binding affinity between the antibody and target analyte(s).

- Assay rapidity, typically in the region of 1-2h.

- *In situ* sample determination removes the requirement for transportation of samples to a centralised facility and the concomitant degradation of sample during transportation and storage.

- Despite the costs associated with antibody preparation, particularly monoclonal antibody preparation, the small amounts of Ab material and other reagents required for each assay measurement

13

results in low assay costs relative to the costs
associated with running complex instrumentation at
dedicated centralised analytical facilities.

5*   • Operator costs are reduced due to the
          speed/throughput of the assay and the lower levels
          of training required relative to their laboratory
          counterpart.

10   In order to generate antibodies with binding
specificities directed towards the *tert*-butyl oxygenate
family, account must be made of the low molecular weight
of these compounds. Research in our laboratories has
focused on producing *tert*-butyl oxygenate-protein
15   conjugates capable of engendering an immunological
response in a host animal species.

      One critical aspect of this invention relates to the
synthesis and utilisation of *tert*-butyl oxygenate
analogues for immunogen production. These analogues may
20   be polymers (dimers, trimers, polymers etc.), produced by
polymerisation of two or more *tert*-butyl oxygenate
monomers, to form extended repeated *tert*-butyl oxygenate
polymer chains, or alternatively, individual molecules
exhibiting structural and functional characteristics of
25   the *tert*-butyl ether target compound in association with

a second entity that acts as a spacer between the tert-butyl ether functionality and associated carrier compound. Additionally, these compounds will also contain a functionality located away from the tert-butyl ether

5   moiety that can be used for carrier compound conjugation purposes, such as conjugation to suitable carrier proteins. Such entities, henceforth referred to as [tert-butyl oxygenate]$_n$-carrier protein conjugates (i.e. tert-butyl ether polymer structures and tert-butyl ether-

10 spacer compounds) were found to elicit the desired immunological response in host animals, with recovery of antibody with specificity and high binding affinity for both the tert-butyl oxygenate polymer and original monomer compound. Simple conjugation of members of the

15 tert-butyl oxygenate family to standard carrier proteins yielded antibodies with significantly weaker antigen binding affinity.

In one preferred embodiment the invention provides a method of generating antibodies useful for assaying a

20 sample for fuel oxygenates comprising (i) conjugating a hapten having a $CH_3-O-C(CH_3)_2 -CH_2-$moiety to a carrier protein to produce a conjugate; (ii) injecting the conjugate into an animal; (iii) harvesting antibody-synthesising cells from the animal; (iv) fusing the

25 antibody-synthesising cells with myeloma cells to form

hybridoma cells; (v) cultivating the hybridoma cells; (vi)
screening the cultivated cells to find desired cells
producing monoclonal antibodies capable of binding methyl
tert-butyl ether ("MTBE"); and (vii) cultivating said
5   desired cells and harvesting said monoclonal antibodies.

This invention further relates to the use of
methodologies whereby the specific binding capabilities
of these antibodies, produced using either the tert-butyl
oxygenate polymer-carrier protein or tert-butyl oxygenate
10   monomer-carrier protein immunogen route, are exploited
for the creation of immunodiagnostic methods for the
determination of members of the tert-butyl oxygenate
family. The immunoassay format may vary in nature but
relates to the use of immunochemical assay formats and
15   specific assay labels that are able to visualise the
extent of Ab-Ag binding and hence lead to the
determination of the tert-butyl oxygenate family members.

. The assay format may be competitive or non-
competitive in operation and may include alternative
20   embodiments of either approach, such as the use of
particulates, such as latex beads, magnetic beads and the
well described lateral flow assay format. The assay
label may be linked directly to one or more of the
immunoassay reagents, such as antibody or antigen
25   analogue, or may be introduced by alternative means, such

as via the well-known streptavidin-biotin binding complex,
or through conjugation of the label to a second antibody
or binding component with binding specificity directed
towards structures on the primary anti--tert-butyl

5   oxygenate antibody. The label may be, but is not limited
to an enzyme, chromophore, fluorophore or other optically
detectable agent, chemically active agent,
electrochemically active agent or other such suitable
compound in which the specific properties of the label

10   can be used to visualise the Ab-Ag binding process. In
the case of enzyme labels, the consumption of active
substrate and/or the generation of active product or
other enzyme mediated effect may be used to produce the
assay response. The transduction process, which will be

15   dependent upon the selected assay label, may be selected
from optical, electrochemical and other appropriate
methods. Integration of the immunoassay with appropriate
transduction methodologies to produce dedicated sensing
tools is a further clear embodiment of the invention

20   described herein. The present invention may also relate
to any assay in which affinity is used as the recognition
method, such as use of synthetically produced ligands
('molecularly imprinted polymers') or any other ligand
with the required binding specificity.

17

Whilst it is evident that the invention is suitable

for decentralised determination of members of the *tert*-

butyl oxygenate family using the indirect immunochemical

assay format, it is evident that the methodologies herein

5   described may be equally applied to direct immunochemical

assay methods. Direct methods are able to visualise the

Ab-Ag binding process without the aid of associated assay

labels by use of appropriate transduction methodologies.

Such methodologies would include, but would not be

10   limited to: surface plasmon resonance (SPR) devices,

evanescent wave devices, quartz crystalline microbalance

(QCM) devices, surface/bulk acoustic wave devices, field-

effect transistors or any other such methodology that may

be considered direct in operation.

15

Brief Description of Drawings

Fig. 1 is a graph of antibody concentration vs

antigen concentration for a checkerboard assay for

determining the optimal coating Ag and primary Ab

20   concentrations.

Fig. 2 shows a standard ELISA result comparison with

spiked MTBE samples in PBS.

Fig. 3 resembles Fig. 2 and shows results for

repetitions on different days, using fresh solutions of

25   all reagents.

Fig. 4 is a graph showing the cross-reactivity of the antibody to a range of compounds.

Fig. 5 and Fig. 6 are bar charts showing results of MTBE immunoassay using magnetic beads, with MTBE

5   concentrations ranging from 0-5000 mg/l (Fig. 5) and 0-0.005 mg/l (Fig. 6)

Modes for Carrying Out the Invention

Some specific embodiments of the invention will now

10   be described in detail by way of example.

Example 1

An indirect competitive immunoassay with specificity towards MTBE has been constructed and tested with

15   representative samples. The assay is centred on the competition between microtitre well wall immobilised MTBE-spacer-BSA polymer (7-methoxy-3,7-dimethyloctanal-BSA – the 'coating antigen'), free MTBE in the sample and free anti-MTBE/MTBE-spacer antibody.

20   Anti-MTBE/MTBE-spacer antibody was first generated by conjugating 7-methoxy-3,7-dimethyloctanal to BSA carrier protein. The resultant conjugate was injected into a mouse host and antibody synthesising cells harvested at the appropriate time. The antibody

25   synthesising cells were fused with myeloma cells to form

19

hybridoma cells which were cultivated and the antibody

specificity of each hybridoma assessed with respect to

binding to MTBE and 7-methoxy-3,7-dimethyloctanal. Those

hybridomas expressing antibody of the required

5   specificity were propagated and used as a source of anti-

MTBE/7-methoxy-3,7-dimethyloctanal antibody for

immunoassay applications.

A competitive immunoassay is described in this

particular embodiment. Free MTBE antigen present in the

10   sample was allowed to compete with the immobilised

coating antigen for anti-MTBE/7-methoxy-3,7-

dimethyloctanal antibody. The quantitative nature of the

assay is evident from the fact that the final signal

response generated by the assay is dependent upon free

15   MTBE-Ab binding. In essence, the lower the concentration

of free MTBE in the sample solution, the greater the

extent of antibody binding to the coating antigen. On

washing the microtitre wells, free MTBE-antibody

complexes are displaced from the well. An antibody-

20   specific enzyme tracer is then added to the system.

Following the binding and washing steps, residual enzyme

activity, which is inversely proportional to the original

free MTBE concentration, is then determined by adding

enzyme substrate and recording the optical density of the

25   coloured enzymic product after a suitable period of

20

colour development. Low concentrations of MTBE in the sample gave an inversely proportional large signal output, whilst high concentrations of free MTBE in solution resulted in a reduced assay signal.

5

Microtitre well preparation

Wells were prepared by adding 100μl of coating antigen (500ng/ml) and then incubated at 4°C for 24 hours. Plates were then aspirated and washed with wash solution

10 (0.01% v/v Tween 20 in Reverse Osmosis (RO) water) at 300μl/well. After each wash step, plates were inverted and blotted against clean paper towelling. Unless otherwise stated, plates were blocked using 5% v/v BSA blocker buffer and incubated at room temperature (RT) for

15 2 hours. Plates were then aspirated and two wash steps performed. Dried plates were then sealed and stored with desiccant at 4-8°C prior to use.

ELISA immunoassay procedure

20 A 100μl volume of MTBE-containing sample was added to each microplate well followed by 100μl of biotinylated anti-MTBE/7-methoxy-3,7-dimethyloctanal Ab. The plates were then sealed and incubated for 1 hour at RT. The aspiration and wash step, as described for plate

preparation, was repeated ×4. Streptavidin-HRP (100μl per well) was added, the plates sealed and incubated at RT for a further 30 minutes. Aspiration and 4 further wash steps were made. To each well, 100μl of the HRP enzyme

5   substrate TMB (3,3',5,5' tetramethyl benzidine) was added. The plates were then covered and incubated for 10 minutes. At the end of the colour development time, the colour reaction was stopped by the addition of 100μl 2M H_2SO_4 and the OD_{450} immediately measured. Any necessary dilutions

10   were made with RO water.

Results

Optimal concentrations of both Ag and Ab (biotinylated and native) were determined by checkerboard assay (Figure

15   1). The optimal concentrations of coating antigen conjugate and biotinylated Ab were all found to be 500ng/ml. As shown in the figure, the highest signal was achieved using 500ng/ml coating antigen and 500□g/ml anti-MTBE/7-methoxy-3,7-dimethyloctanal antibody.

20   A 500 ppm MTBE stock solution was prepared in 100 mM phosphate buffered saline (PBS, pH 7.4) and serially diluted (1/10) in 100 mM PBS to a final concentration of 0.5 ppb. A competitive ELISA was then performed. Figure 2 shows a reproducible sigmoidal curve of assay response

25   (OD_{450}) as a function of increasing free MTBE

concentration. As the ELISA is a competitive assay, the OD_{450} is inversely proportional to increasing concentrations of free MTBE. The dynamic range of the assay was found to be 50 - 5000 ppb for free MTBE. The

5   assay was repeated on different days and with fresh solutions of all reagents. Results are shown in Figure 3.

The dynamic range of the assay was found to be 50 - 5000 ppb for free MTBE. Plates 050203 and 060203 were blocked with 5 % v/v BSA blocking buffer. Plates 070203

10   and 080203 were blocked with 1% BSA blocking buffer.

Example 2: Anti-MTBE monoclonal antibody cross-reactivity

The cross-reactivity of the anti-MTBE antibody prepared in Example 1 towards a range of *tert*-butyl

15   related compounds was tested. The results are shown in Figure 4. An indication of the binding affinity between the antibody and the various test compounds can be obtained by determining the concentration of analyte (IC_{50}) required to inhibit the maximum assay signal (B_0) by 50%

20   (i.e. $B/B_0 = 50\%$). The lower the concentration value, the greater the binding affinity, since a lesser amount of analyte is required to depress the assay signal by one half. IC_{50} values of ~10 mg/l were recorded for MTBE and TAME, whilst IC_{50} values of ~60 mg/l and ~180 mg/l were

25   recorded for TBF (*tert*-butyl formate) and TBA

23

respectively. The antibody showed no significant cross-reactivity to the methanol control. This data suggests that immunoassays can be constructed, using antibody preparations prepared according to the methods disclosed

5 in this document, to identify MTBE and also compounds other than MTBE in test samples. This may prove advantageous in many different situations, such as the case where a previous MTBE contamination may have occurred and in which MTBE breakdown products are present.

10

Example 3: Magnetic bead format

A stock solution of commercially available tosylactivated paramagnetic beads (Hydrophobic Dynabeads M280 with p-

15 toluene-sulfonyl [tosyl] groups attached, Dynal Biotech, Bomborough, Wirral, UK; bead concentration of 2 x 10^9 beads/ml, equivalent to approximately 30 mg beads/ml) was obtained. Beads were washed and then diluted in 0.1M borate buffer pH 9.5, according to manufacturer's

20 instructions, to yield a solution containing 1 x 10^7 beads. A 3 μg quantity of coating antigen was added to the preparation to yield a solution at pH 9.5, containing 3 μg coating antigen and 1 x 10^7 beads in 1 ml of incubation solution. The beads were then incubated for 24h at 37°C

to bind the coating antigen to the beads. Beads were
then washed (×2) in 0.1M phosphate buffer (containing
0.1% w/v BSA) and ×2 in 0.1M Tris (also in 0.1% w/v BSA)
according to manufacturer's instructions and made up to a
5   final volume of 1 ml in 0.1M phosphate buffer, pH 7.4.

Immunoassays were then conducted in BSA-blocked
microtitre plates. A 100 µl volume of the coated
magnetic bead preparation was added to the wells,
followed by 50 µl volumes of primary antibody (varying
10   concentrations) and free MTBE (0-5000 mg/l). Following a
25 min. incubation step, the beads were washed as per the
previously described procedure to remove residual unbound
reagents. Enzyme labelled conjugate was then added to
the bead preparation and a further 25 min. incubation
15   performed. Beads were again washed as per the previously
described procedure and 500 µl TMB HRP enzyme substrate
added to each well. Colour development was stopped after
10 min. by addition of 100µl 2M H_2SO_4 and the OD_{450}
immediately measured. Results are shown below in Figures
20   5 and 6. The quantitative nature of the assay is
immediately apparent on observing the magnitude of the
OD_{450} readings as a function of free MTBE concentration.
The assay is able to yield quantitative information
across the MTBE range 0-5000 mg/l and is able to

distinguish between samples containing 0 and 0.005 mg/l

MTBE.